
SINGLE TUBE CORE BARREL

B - TYPE

FRENCH MANUFACTURING

MARK

1 Head coupling
2 Core tube
3 TC reaming shell
4 Core lifter
5 Coring bit



DIMENSIONS AND WEIGHT

B Type	Lg 0.75 m		Lg 1.50 m		Lg 3.00 m		Core bit (mm)		Head thread
	Length (m)	weight (kg)	Length (m)	weight (kg)	Length (m)	weight (kg)	inner Ø	outer Ø	
46	0.91	4.0	1.66	6.7	3.16	12.0	32	46	42
56	0.94	5.3	1.69	8.6	3.19	15.2	42	56	42
66	0.95	6.7	1.70	10.6	3.20	18.4	52	66	50
76	0.97	8.8	1.72	13.6	3.22	23.0	62	76	50 / 60
86	0.98	10.5	1.74	15.9	3.23	26.7	72	86	60
101	0.99	15.0	1.74	23.0	3.24	38.9	87	101	60 / 2"3/8 Reg
116	0.99	19.0	1.74	28.3	3.24	47.0	102	116	60 / 2"3/8 Reg
131	0.99	22.5	1.74	32.9	3.24	53.6	117	131	2"3/8 Reg
146	0.99	26.8	1.74	38.4	3.24	61.5	132	146	2"3/8 Reg

CORE BARREL

B Type	Lg 0.75 m	Lg 1.50 m	Lg 3.00 m
46	WA 0100136	WA 0100147	WA 0100158
56	WA 0100137	WA 0100148	WA 0100159
66	WA 0100138	WA 0100149	WA 0100160
76	WA 0100139	WA 0100150	WA 0100161
86	WA 0100140	WA 0100151	WA 0100162
101	WA 0100141	WA 0100152	WA 0100163
116	WA 0100142	WA 0100153	WA 0100164
131	WA 0100143	WA 0100154	WA 0100165
146	WA 0100144	WA 0100155	WA 0100166

Useful length of the core – please precise the head thread wished

SPARE PARTS

B Type	Head	Tube Lg 0.75 m	Tube Lg 1.50 m	Tube Lg 3.00 m	Reaming shell
46	WA 0200062	WA 0300103	WA 0300114	WA 0300125	WA 0400014
56	WA 0200063	WA 0300104	WA 0300115	WA 0300126	WA 0400015
66	WA 0200064	WA 0300105	WA 0300116	WA 0300127	WA 0400016
76	WA 0200065	WA 0300106	WA 0300117	WA 0300128	WA 0400017
86	WA 0200066	WA 0300107	WA 0300118	WA 0300129	WA 0400018
101	WA 0200067	WA 0300108	WA 0300119	WA 0300130	WA 0400019
116	WA 0200068	WA 0300109	WA 0300120	WA 0300131	WA 0400020
131	WA 0200069	WA 0300110	WA 0300121	WA 0300132	WA 0400021
146	WA 0200070	WA 0300111	WA 0300122	WA 0300133	WA 0400022

B Type	Core lifter	Basket core lifter	Thread protector
46	WA 0500026	WA 0500035	WA 0600091
56	WA 0500027	WA 0500036	WA 0600092
66	WA 0500028	WA 0500037	WA 0600093
76	WA 0500029	WA 0500038	WA 0600094
86	WA 0500030	WA 0500039	WA 0600095
101	WA 0500031	WA 0500040	WA 0600096
116	WA 0500032	WA 0500041	WA 0600097
131	WA 0500033	WA 0500042	WA 0600098
146	WA 0500034	WA 0500043	WA 0600099


SINGLE TUBE CORE BARREL

T - TYPE

FRENCH MANUFACTURING

MARK

1 Head coupling
2 Core tube
3 TC reaming shell
4 Spacer
5 Core lifter
6 Core lifter case
7 Coring bit



DIMENSIONS AND WEIGHT

T Type	Lg 0.75 m		Lg 1.50 m		Lg 3.00 m		Core bit(mm)		Head thread
	Length (m)	weight (kg)	Length(m)	weight (kg)	Length (m)	weight (kg)	inner Ø	outer Ø	
46	0.99	4.1	1.74	6.1	3.24	9.6	32	46	42
56	0.99	5.8	1.74	8.5	2.24	14.0	42	56	42
66	1.02	7.0	1.76	10.2	3.26	16.7	52	66	50
76	1.02	8.6	1.77	12.1	3.27	19.1	62	76	50 / 60
86	1.02	10.2	1.77	14.2	3.27	22.7	72	86	60
101	1.16	15.3	1.91	21.3	3.41	32.3	84	101	60 / 2"3/8

CORE BARREL


T Type	Lg 0.75 m	Lg 1.50 m	Lg 3.00 m
46	WE 0110104	WE 0110112	WE 0110120
56	WE 0110105	WE 0110113	WE 0110121
66	WE 0110106	WE 0110114	WE 0110122
76	WE 0110107	WE 0110115	WE 0110123
86	WE 0110108	WE 0110116	WE 0110124
101	WE 0110109	WE 0110117	WE 0110125

Useful length of the core – please precise the head thread wished

SPARE PARTS

T Type	Head	Outer tube Lg 0.75 m	Outer tube Lg 1.50 m	Outer tube Lg 3.00 m	Reaming shell
46	WE 0210064	WE 0310080	WE 0300243	WE 0300251	WE 0400011
56	WE 0210065	WE 0310081	WE 0300244	WE 0300252	WE 0400012
66	WE 0210066	WE 0310082	WE 0300245	WE 0300253	WE 0400013
76	WE 0210067	WE 0310083	WE 0300246	WE 0300254	WE 0400014
86	WE 0210068	WE 0310084	WE 0300247	WE 0300255	WE 0400015
101	WE 0210069	WE 0310085	WE 0300248	WE 0300256	WE 0400016

T Type	Spacer	Core lifter	Basket core lifter	Core lifter case	Thread protector
46	WE 0510072	WE 0500029	WE 0500036	WE 0500038	WE 0600291
56	WE 0510073	WE 0500030	WE 0500044	WE 0500039	WE 0600292
66	WE 0510074	WE 0500031	WE 0500045	WE 0500040	WE 0600293
76	WE 0510075	WE 0500032	WE 0500046	WE 0500041	WE 0600294
86	WE 0510076	WE 0500033	WE 0500047	WE 0500042	WE 0600295
101	WE 0510077	WE 0500034	WE 0500048	WE 0500043	WE 0600296




DOUBLE TUBE CORE BARREL

T2 - TYPE

FRENCH MANUFACTURING

MARK

1 Head assembly
2 Inner tube
3 Outer tube
4 Extension tube
5 TC reaming shell
6 Core lifter case
7 Core lifter
8 Coring bit



DIMENSIONS AND WEIGHT

T2 Type	Lg 1.50 m		Lg 3.00 m		Core bit (mm)		Head Thread
	Length (m)	weight (kg)	Length (m)	weight (kg)	inner Ø	outer Ø	
46	1.77	10.5	3,27	17.0	32	46	42
56	1.77	13.7	3.27	22.2	42	56	42
66	1.85	17.1	3.35	27.6	52	66	50
76	1.89	21.2	3.39	33.2	62	76	50 / 60
86	1.93	24.4	3.43	37.9	72	86	60
101	2.05	49.0	3.55	68.0	84	101	60 / 2"3/8

CORE BARREL

T2 Type	Lg 1.50 m	Lg 3 m	Core extractor
46	WE 0120275	WE 0120283	WE 0900235
56	WE 0120276	WE 0120284	WE 0900236
66	WE 0120277	WE 0120285	WE 0900237
76	WE 0120278	WE 0120286	WE 0900238
86	WE 0120279	WE 0120287	WE 0900239
101	WE 0120280	WE 0120288	WE 0900240

Useful length of the core – please precise the head thread wished

SPARE PARTS

T2 Type	Head	Outer tube		Inner tube		Extension tube
		Lg 1.50 m	Lg 3.00 m	Lg 1.50 m	Lg 3.00 m	
46	WE 0220136	WE 0300243	WE 0300251	WE 0320259	WE 0320267	WE 0320047
56	WE 0220137	WE 0300244	WE 0300252	WE 0320260	WE 0320268	WE 0320048
66	WE 0220138	WE 0300245	WE 0300253	WE 0320261	WE 0320269	WE 0320049
76	WE 0220139	WE 0300246	WE 0300254	WE 0320262	WE 0320270	WE 0320050
86	WE 0220140	WE 0300247	WE 0300255	WE 0320263	WE 0320271	WE 0320051
101	WE 0220141	WE 0300248	WE 0300256	WE 0320264	WE 0320272	WE 0320052

T2 Type	Core lifter case	Core lifter	Basket core lifter	TC reaming shell	Thread protector
46	WE 0500038	WE 0500029	WE 0500036	WE 0400011	WE 0600291
56	WE 0500039	WE 0500030	WE 0500044	WE 0400012	WE 0600292
66	WE 0500040	WE 0500031	WE 0500045	WE 0400013	WE 0600293
76	WE 0500041	WE 0500032	WE 0500046	WE 0400014	WE 0600294
86	WE 0500042	WE 0500033	WE 0500047	WE 0400015	WE 0600295
101	WE 0500043	WE 0500034	WE 0500048	WE 0400016	WE 0600296




DOUBLE TUBE CORE BARREL

T6 - TYPE

FRENCH MANUFACTURING

MARK

1 Head assembly
2 Outer tube
3 Inner tube
4 Extension tube
5 TC reaming shell
6 Core lifter
7 Core lifter case
8 Coring bit



DIMENSIONS AND WEIGHT

T6 Type	Lg 1.50 m		Lg 3.00 m		Core bit (mm)		Head thread
	Length (m)	weight (kg)	Length (m)	weight (kg)	inner Ø	outer Ø	
76	2,03	28.0	3,53	47.0	57	76	50 / 60
86	2,04	33.0	3,54	53.0	67	86	60
101	2,14	46.0	3,64	69.0	79	101	60 / 2"3/8
116	2,09	60.0	3,59	85.0	94	116	60 / 2"3/8
131	2,09	70.0	3,59	105.0	108	131	2"3/8 Reg
146	2,09	93.0	3,59	128.0	123	146	2"3/8 Reg





CORE BARREL

T6 Type	Lg 1.00 m	Lg 1.50 m	Lg 3.00 m
76	WF 0100125	WF 0100125	WF 0100133
86	WF 0100126	WF 0100126	WF 0100134
101	WF 0100123	WF 0100127	WF 0100135
116	WF 0100124	WF 0100128	WF 0100136
131	WF 0100129	WF 0100129	WF 0100137
146	WF 0100130	WF 0100130	WF 0100138

Useful length of the core

SPARE PARTS

T6 Type	Head	Outer tube		Inner tube		Extension tube
		Lg 1.50 m	Lg 3.00 m	Lg 1.50 m	Lg 3.00 m	
76	WF 0200068	WF 0300093	WF 0300101	WF 0300109	WF 0300117	WITHOUT
86	WF 0200069	WF 0300094	WF 0300102	WF 0300110	WF 0300118	WITHOUT
101	WF 0200070	WF 0300095	WF 0300103	WF 0300111	WF 0300119	WITHOUT
116	WF 0200071	WF 0300096	WF 0300104	WF 0300112	WF 0300120	WF 0300088
131	WF 0200072	WF 0300097	WF 0300105	WF 0300113	WF 0300121	WF 0300089
146	WF 0200073	WF 0300098	WF 0300106	WF 0300114	WF 0300122	WF 0300090


T6 Type	TC reaming shell	Core lifter case	Core lifter	Basket core lifter	Thread protector
76	WF 0400011	WF 0500036	WF 0500020	WF 0500042	WF 0600052
86	WF 0400012	WF 0500037	WF 0500021	WF 0500043	WF 0600053
101	WF 0400013	WF 0500038	WF 0500022	WF 0500044	WF 0600054
116	WF 0400014	WF 0500039	WF 0500023	WF 0500045	WF 0600055
131	WF 0400015	WF 0500040	WF 0500024	WF 0500046	WF 0600056
146	WF 0400016	WF 0500041	WF 0500025	WF 0500047	WF 0600057

TRIPLEX CORE BARREL

FRENCH MANUFACTURING

Using a plastic liner within the T6 double core barrel makes easier the extraction of perfect core.

A standard T6 core barrel can easily be changed into a triplex core barrel by switching the core lifter, the core lifter case and the core bit.



MARK


1 Head assembly
2 Outer tube
3 Inner tube
4 Plastic liner
5 Extension tube
6 TC reaming shell
7 Triplex Core lifter
8 Triplex Core lifter case
9 Triplex Core bit

TRIPLEX T6

Triplex T6	Core barrel		Core lifter case	Core lifter	Core bit (mm)	
	1.50 m	3.00 m			inner Ø	outer Ø
101	WF 0100139	WF 0100145	WF 0500202	WF 0500204	76	101
116	WF 0100140	WF 0100143	WF 0500212	WF 0500225	90	116
131	WF 0100141	WF 0100144	WF 0500222	WF 0500223	104	131
146	WF 0100146	WF 0100142	WF 0503041	WF 0503025	120	146

Ø	Basket core lifter	Plastic cap	Plastic liner 1.50 m	Plastic liner 3.00 m	Plastic liner dimension (mm) inner Ø	Plastic liner dimension (mm) outer Ø
101	WF 0500206	WF 0300205	WF 0300240	WF 0300203	77	80
116	WF 0500207	WF 0300215	WF 0300230	WF 0300216	91	94
131	WF 0500208	WF 0300225	WF 0300242	WF 0300246	106	109
146	WF 0500209	WF 0300235	WF 0300243	WF 0300247	121	124

Other Triplex core barrel, please consult us.



OTHER CORE BARREL

DOUBLE TUBE CORE BARREL - T6S TYPE

T6S Type	Lg 1.50 m		Core bit (mm)		Reference
	Length(m)	weight (kg)	inner Ø	outer Ø	
76	2.11	28.0	48	76	WG 0100010
86	2.12	33.0	58	86	WG 0100011
101	2.22	46.0	72	101	WG 0100012
116	2.20	60.0	86	116	WG 0100013
131	2.20	70.0	101	131	WG 0100014
146	2.20	93.0	116	146	WG 0100015

Please, contact us for spare parts.

DOUBLE TUBE CORE BARREL – K2 TYPE

K2 Type	Lg 1.50 m		Lg 3.00 m		Core bit (mm)		Reference	
	Length (m)	weight (kg)	Length (m)	weight (kg)	inner Ø	outer Ø	1.50 m	3.00 m
76	2.16	32.0	3.66	49.0	48	76	WC 0100261	WC 0100270
86	2.16	40.0	3.66	60.0	58	86	WC 0100262	WC 0100271
96	2.14	50.0	3.64	75.0	67	96	WC 0100263	WC 0100272
101	2.15	55.0	3.65	82.0	72	101	WC 0100264	WC 0100273
116	2.18	69.0	3.68	104.0	86	116	WC 0100265	WC 0100274
131	2.13	87.0	3.63	126.0	98	131	WC 0100266	WC 0100275
146	2.21	104.0	3.71	148.0	115	146	WC 0100267	WC 0100276

Please, contact us for spare parts.